

# ASA Non-Approved Bat List with Certification Marks

3/16/2009

<p>Combat VIRSP3 Lady Virus</p>	<p>Easton SCX2 Synergy</p>	<p>Easton SCX22 Synergy 2</p>
		
<p>Louisville Slugger FP305 Catalyst (-8)</p>	<p>Louisville Slugger SB304</p>	<p>Louisville Slugger SB34 Genesis</p>
		
<p>Louisville Slugger SB404</p>	<p>Miken MSF Freak</p>	<p>Miken Ultra</p>
		
<p>Miken Ultra II</p>	<p>Miken Ultra Maxload</p>	<p>Nokona Tomahawk</p>
		
<p>Schutt Red/Silver Schutt Bat</p>	<p>Worth EST9</p>	<p>Worth QESTFP</p>
		
<p>Worth SBWK(Wicked)</p>	<p>Worth SBWKA</p>	<p>Worth WWSC Wicked Comp. (SP Only)</p>
		
<p>Worth WWSA</p>	<p>Worth XEST9X</p>	<p>Worth XGold</p>
		
<p>Worth XPST4</p>	<p>Worth XRcd</p>	<p>Worth XWICKX Wicked (SP Only)</p>
		

For a complete list of approved bats go to the certified equipment section of [www.asasoftball.com](http://www.asasoftball.com)  
Last Updated: March 31, 2008